



Leonardo DR mini II

Lightweight X-ray suitcase system

The compact suitcase solution for radiography in stables, clinics and hospitals

The newest model in our Leonardo series, the compact and versatile Leonardo DR mini II, combines X-ray detector technology with a high-performance acquisition and diagnostic software. Weighing only 8.9 kg, the system is one of the lightest suitcase X-ray solutions worldwide. The suitcase system is the perfect solution for both stationary and portable radiography for mobile veterinary practices as well as equine and mixed animal clinics. The Leonardo DR mini II is quick to set up and easy to use. Its built-in 17" premium notebook with high resolution touchscreen monitor as well as integrated acquisition and diagnosis software guarantees excellent image display. The X-ray suitcase has two large LEDs clearly visible even from a distance of several meters. These LEDs indicate the software status, such as "Ready to expose". In addition, a signal tone sounds when the status changes.

An optional reporting module for pre-purchase X-ray examinations makes this system attractive for equine appraisal. The integrated diagnosis software also enables worldwide, fast and cost-effective information exchange (via cloud or email) in compliance with safety regulations for telemedical solutions. Only an internet connection is required.

Two versions of the system are available:

- **Leonardo DR mini II:** mobile X-ray system with wireless X-ray detector, format 24 x 30 cm
- **Leonardo DR mini II:** mobile X-ray system with wireless X-ray detector, format 35 x 43 cm

System benefits

Ingeniously designed: wireless and battery-powered – designed for use in confined spaces as well as in the field

Wireless: battery-operated system can run continuously for over four hours – providing flexibility and maneuverability in difficult environments and additional optional wireless remote control of the system via your smartphone using the app
→ see video link

Compact: weighing only approx. 8.9 kg, the case fits behind any car seat

Practical: 17" laptop can easily be removed from its secured location within the case – for use in an optimal ergonomic position or as a tablet during presentations

Visible and audible: Software status display via large 4-colour LEDs on the corners of the suitcase and audio output on status change

Excellent: high-quality X-ray detector based on a caesium iodide (CsI) scintillator – top image quality even at low X-ray doses

User-friendly: self-explanatory OR Technology acquisition software *dicomPACS®DX-R* including free special measurement functions as well as integration into your existing patient management system

Fast: shortly after taking the shot (6 - 8 seconds), the X-ray image is already available for viewing and diagnostic evaluation

Cleverly designed: integrated X-ray positioning guide (for examinations of cats, dogs and horses)

Accessibility: integrated diagnostic software offers a worldwide, fast and cost-effective exchange of information (via cloud or email)

One of a kind: Special analysis tools for MMP (Modified Maquet Procedure), automatic HD measurements (AI-based), TTA, TPLO, heart diagnostics, etc. are provided at no extra cost

Well documented: professional software for detailed and comprehensive documentation of X-ray services during horse purchase examinations according to "X-ray guideline 2018" (only for Germany)





Dimensions



The product video of Leonardo system you can be found here: www.or-technology.com/leonardo-mini-2-video



Video for wireless remote control of the system via your smartphone (via app) under www.or-technology.com/DX-R-remote-control-video-vet-en



More information about Leonardo DR mini II systems you can be found here: www.or-technology.com

Advantages of professional acquisition software

- Modern graphical user interface (GUI) adaptable to almost any language, **touchscreen** operation – to ensure quick and efficient work and a smooth workflow
- Capture of patient data via **DICOM Worklist**, **BDT/GDT**, **HL7** or other protocols – data may also be captured manually
- Use of **DICOM Procedure Codes** for the transfer of all relevant examination data directly from the connected patient management system (HIS/RIS)
- **Freely configurable** body parts with more than **200 projections** and numerous possible adjustments already included
- Safe and fast **registration of emergency patients** allowing the user to **switch between examinations** of a patient, for instance to avoid having to re-position the patient frequently
- Allows the user to **subsequently add images** to an examination, even after that examination has been completed
- Special tools for veterinary medicine, such as an extra dialogue box for patient and owner data, **automatic hip dysplasia measuring (KI-based)**, **MMP**, **TTA**, **TPLO** and **vertebral heart score (Buchanan)**, **special image filters**, **multigenerator operation** for alternating between mobile and stationary X-ray systems and much more...
- Fully **integrated radiographic positioning guide** for each examination incl. comprehensive notes, photos and correct X-ray images
- Suited for use in **dental medicine**, e.g. with a **digital dental sensor** or a **dental CR system**



Standard components of the **Leonardo DR mini II**

Compact and light suitcase

incl. shoulder strap for X-ray case, total weight: 8.9 kg (including the complete suitcase, notebook, power supply and electronics), size: ca. 49 x 39.5 x 17 cm

Notebook

Convertible 2-in-1 premium notebook with large monitor, newest 8th generation Intel® Core™ i7 processor, 16 GB RAM, 17,3" full HD touchscreen monitor, keyboard with background lighting, SSD hard disk 512 GB

Flat panel detector

24 x 30 cm (10" x 12") wireless*

Wireless X-ray imaging!

Fits into an existing X-ray system without requiring modification (in conformity with the X-ray film cassette), fast charging, long life batteries

Flat panel detector

35 x 43 cm (14" x 17") wireless*

Wireless X-ray imaging!

Fits into an existing X-ray system without requiring modification (in conformity with the X-ray film cassette), fast charging, long-life batteries

Flat panel detector Csl

35 x 43 cm (14" x 17")*

Detector with excellent image quality and immediate image availability

Leonardo DR mini II software package

with dicomPACS®DX-R, professional console software with modern graphical user interface including basic software package and integrated radiographic positioning guide for each examination, inclusive:

- dicomPACS®DX-R DICOM Send SCU
- dicomPACS®DX-R DICOM Patient CD
- dicomPACS®DX-R Cognition Optimised Processing

Extension for battery operation

Allows working without power connection up to an average of 4-6 hours in normal mode

Optional components to upgrade the Leonardo DR mini II system

Wireless remote control

Possibility of wireless control of the digital X-ray system with the app "dicomPACS®DX-R remote control" via smartphone or tablet incl. display of the worklist, preview of the captured image to check the shot etc. - directly from the app a shot can be repeated or a new one can be planned

Wireless synchronisation with any X-ray generator

Protection Case 1210 and 1417


Available with or without grid

Transport bag for 35 x 43 cm flat panel

Size: 55.5 x 49 x 6 cm

Amadeo P high frequency X-ray system

Portable high frequency X-ray units for high-quality X-ray images: Low weight and user-friendly operation enable various fields of application in small animal practices and equine clinics



* Various types of flat panel on request



Specifications subject to revision without notice

The editor strives to impart correct and up to date information. The provided specifications are based on current knowledge and are subject to revision without notice. This brochure is subject to correction. The editor assumes no responsibility for the information being up to date, correct and complete.

All furnished logos, pictures and graphics are property of the particular company and subject to copyright of the licensor. Use, dissemination, distribution or copying of the pictures, logos or text compiled or processed by the editor is subject to our written consent. All rights reserved.

OR Technology

www.or-technology.com | X-perts in X-ray



Headquarters:

OR Technology (Oehm und Rehbein GmbH), 18057 Rostock, Germany, Neptunallee 7c
Tel. +49 381 36 600 500, Fax +49 381 36 600 555
www.or-technology.com, info@or-technology.com

OR Technology UK: Celtic SMR Ltd., Frederick House, Hayston View, Johnston
Haverfordwest, Pembrokeshire SA62 3AQ, United Kingdom
www.celticsmr.co.uk, sales@celticsmr.co.uk

Info hotline: +49 381 36 600 600



[Stamp of distribution partner]